

**Errata Sheet for Minor Corrections to
East Niles Community Services District 2015 Urban Water Management Plan (UWMP)**

This errata sheet logs minor content errors that were identified after final adoption of the East Niles Community Services District 2015 UWMP. DWR has determined that these corrections are minor and do not require the UWMP to be amended.

■ These data errors have been corrected in the Department of Water Resources (DWR) UWMP database at <https://wuedata.water.ca.gov/secure/>

■ This errata sheet has been filed with the UWMP in all locations where it is made publicly available, including the California State Library. Errata may be submitted to State Library via email to cslgps@library.ca.gov

Name and agency of the person filing errata sheet:

Timothy Ruiz, General Manager, East Niles Community Services District

#	Description of Correction	Location	Rationale	Date Error Corrected
1	In Table 6-2, under Recipient of Collected Wastewater, the answer to the Question "Is WWTP Operation Contracted to a Third Party?" was changed to No.	Page 6-5	In this Table the question was answered incorrectly	September, 8th 2017
2	In Table 6-8, changed Actual Volume of Groundwater to 2,929	Page 6-7	In this table, the total groundwater volume available to the District was incorrectly entered. The value was changed to the Actual volume of groundwater used by the District.	September, 8th 2017
3	In Table 6-8, changed Actual Volume of Surface Water to 4,573	Page 6-7	In this table, the total Imported Water (Surface Water KCWA) volume available to the District was incorrectly entered. The value was changed to the Actual Imported Water (Surface Water KCWA) used by the District.	September, 8th 2017